

PRODUKTINFORMATION | *PRODUCT INFORMATION*

RDE255V21


für | *for* Tesla

73923450
RDE255V21


- Qualität nach Herstellervorgaben | *OE Quality*
- Direkt verwendbar – ohne Programmierung | *Ready out of the box – no programming required*
- Flexibles Ventil für höchste Felgenabdeckung | *Adjustable angle – fits any standard rim*
- Einfache Montage | *Easy to install*




* Abbildung ähnlich
Image similar



BLE




max. 300 km/h
max. 185 mph



Anlernen erforderlich
Relearn required

TECHNISCHE DATEN | TECHNICAL DATA



Alle Angaben in mm
All dimensions in mm

PRODUKTDATEN | PRODUCT DATA

EAN Einzelkarton <i>EAN Single box</i> EAN Verpackungseinheit (20 Stück) <i>EAN Master box (20 pcs.)</i>	4053861026913 4053861026920
Maße Einzelkarton (L x B x H) <i>Dimensions single box (L x W x H)</i> Maße Verpackungseinheit (L x B x H) <i>Dimensions master box (L x W x H)</i>	97 mm x 55 mm x 39 mm 3.8" x 2.2" x 1.5" 290 mm x 165 mm x 110 mm 11.4" x 6.5" x 4.3"
Bruttogewicht Einzelkarton <i>Gross weight single box</i> Bruttogewicht Verpackungseinheit <i>Gross weight master box</i>	0,06 kg 0.14 lbs 1,35 kg 2.98 lbs
Herkunftsland <i>Country of origin</i>	China
Frequenz <i>Frequency</i>	2,4 GHz
Überwurfmutter <i>Hex nut</i>	4 Nm 35 in-lbs
Ventileinsatz <i>Valve core</i>	0,25 - 0,45 Nm 2.2 - 4.0 in-lbs
Programmierung erforderlich <i>Programming required</i>	Nein No
Ventilfarbe <i>Valve color</i>	silber silver
Ventil vormontiert <i>Valve pre-mounted</i>	Nein No



KONTAKT | CONTACT



Huf Baolong Electronics North America Corp.

13555 Bishops Court, Suite 320, Brookfield,
WI 53005, USA

E-mail: info@bh-sens.com
Technischer Support | *Technical Support*:
+1 855 967 8383



Baolong Huf Shanghai Electronics Co., Ltd

5500 Shenzhuan Road, Songjiang District,
Shanghai, 201619, China

E-mail: info@bh-sens.com
Technischer Support | *Technical Support*:
+86-21-31273333



Huf Baolong Electronics Bretten GmbH

Gewerbestrasse 40, 75015 Bretten, Germany

E-mail: info@bh-sens.com
Technischer Support | *Technical Support*:
+49 7252 56 77 990

